

1. Calf Starter Feed

	Parameter		Bidders Responds (Yes/No)	If “no” Comments
Nutrients				
	Crude protein %	17.5 – 18.5		
	Crude Fat % (max)	7.0		
	Moisture % (max)	12.0		
	Acid Insoluble Ash (sand) % (max)	2.0		
Mineral				
	Calcium % (min)	0.90		
	Phosphorous % (min)	0.45		
Energy				
	Gross energy (Mcal/kg) (min)	3.6		
	Metabolisable energy (Mcal/kg) (min)	2.8		

- Calf starter meal should have at least 3% of either whole or skimmed milk powder
- Should not contain any non-proteinous nitrogen compounds
- Should have a shelf life of at least 4 weeks
- Should not contain any moulds/ deleterious compounds
- Should be palatable to calves
- Should be provided in pelleted form
- Total aflatoxin content should be less than 20 ppb

2. Dairy Cattle Feed

	Parameter		Bidders Responds (Yes/No)	If “no” Comments
Nutrients				
	Crude protein %	15.5 -17		
	Crude Fat % (max)	8.0		
	Moisture % (max)	12.0		
	Acid Insoluble Ash (sand) % (max)	2.0		
Mineral				
	Calcium % (min)	0.9		
	Phosphorous % (min)	0.45		
Energy				
	Gross energy (Mcal/kg) (min)	3.5		
	Metabolisable energy (Mcal/kg) (min)	2.7		

- No more than 11% of total crude protein should from added non-proteinous nitrogen compounds
- Should have a shelf life of at least 4 weeks
- Should not contain any moulds/ deleterious compounds
- Should be palatable to cows
- Should be provided in pelleted form
- Total aflatoxin content should be less than 20 ppb

3. Stud Bull Feed

	Parameter		Bidders Responds (Yes/No)	Availability of evidence documents	
				Yes/No	Annexure no
Nutrients					
	Crude protein %	15.5 – 16.5			
	Crude Fat % (max)	8.0			
	Moisture % (max)	12.0			
	Acid Insoluble Ash (sand) % (max)	2.0			
Mineral					
	Calcium % (min)	1.00			
	Phosphorous % (min)	0.50			
Energy					
	Gross energy (Mcal/kg) (min)	3.25			
	Metabolisable energy (Mcal/kg) (min)	2.6			

- No more than 9 % of total crude protein should from added non-proteinous nitrogen compounds
- Should have a shelf life of at least 4 weeks
- Should not contain any moulds/ deleterious compounds
- Should be palatable to bulls
- Should be provided in pelleted form
- Total aflatoxin content should be less than 20 ppb