

8. Commercial Layer Feed

	Parameter		Bidders Responds (Yes/No)	If “no” Comments
Nutrients				
	Crude protein %	16.5 – 17.5		
	Crude Fat % (max)	7.0		
	Crude Fiber % (max)	7.0		
	Moisture % (max)	12.0		
	Acid Insoluble Ash (sand) % (max)	2.0		
Amino Acids				
	Lysine %	0.70 – 0.74		
	Methionine	0.34 – 0.35		
	Methionine & Cysteine %	0.60 – 0.62		
	Tryptophan%	0.16 – 0.18		
Mineral				
	Calcium % (min)	3.00		
	Total Phosphorous % (min)	0.65		
	Available Phosphorus % (min)	0.40		
Energy				
	Metabolisable Energy (Kcal/kg)	2650 - 2800		

- Should have a shelf life of at least 4 weeks
- Should not contain any moulds/ deleterious compounds
- Total aflatoxin content should be less than 20 ppb

9. Commercial layer Grower Feed

	Parameter	Grower Feed	Bidders Responds (Yes/No)	If “no” Comments
Nutrients				
	Crude protein %	15.0 – 15.5		
	Crude Fat % (max)	7.0		
	Crude Fiber % (max)	7.0		
	Moisture % (max)	12.0		
	Acid Insoluble Ash (sand) % (max)	2.0		
Amino Acids				
	Lysine %	0.78 – 0.80		
	Methionine	0.32 – 0.34		
	Methionine & Cysteine %	0.55 – 0.58		
	Tryptophan%	0.16 – 0.18		
Mineral				
	Calcium % (min)	0.90		
	Total Phosphorous % (min)	0.60		
	Available Phosphorus % (min)	0.40		
Energy				
	Metabolisable energy (kcal/kg)	2650 - 2750		

- Should have a shelf life of at least 4 weeks
- Should not contain any moulds/ deleterious compounds
- Total aflatoxin content should be less than 20 ppb

10. Layer Chick Starter Feed

	Parameter	Chick Starter	Bidders Responds (Yes/No)	If “no” Comments
Nutrients				
	Crude protein %	18.5 – 19.0		
	Crude Fat % (max)	6.0		
	Crude Fiber % (max)	6.0		
	Moisture % (max)	12.0		
	Acid Insoluble Ash (sand) % (max)	2.0		
Amino Acids				
	Lysine %	0.9 – 0.95		
	Methionine	0.36 – 0.38		
	Methionine & Cysteine %	0.65 – 0.67		
	Tryptophan%	0.18 – 0.20		
Mineral				
	Calcium % (min)	0.95		
	Total Phosphorous % (min)	0.7		
	Available Phosphorus % (min)	0.4		
Energy				
	Metabolisable energy (kcal/kg)	2750 - 2800		

- Should have a shelf life of at least 4 weeks
- Should not contain any moulds/ deleterious compounds
- Total aflatoxin content should be less than 20 ppb

